

Exhibitors' Confirmation Sheet

Date : _____



FAX : +81-6-6377-2075

The 7th International Congress on AIDS in Asia and the Pacific

◆ Exhibitor :

Company			
Person in charge		Section	
Address			
T E L		F A X	
E-mail			

◆ Exhibitors to have package booth(s) must fill in :

Fluorescent Light/40W	<input type="checkbox"/> Required	<input type="checkbox"/> Not Required
Table/ D900×W1800	<input type="checkbox"/> Required	<input type="checkbox"/> Not Required
Chair (1 pc.)	<input type="checkbox"/> Required	<input type="checkbox"/> Not Required
Company name board	<input type="checkbox"/> Required	<input type="checkbox"/> Not Required
Electrical Power Supply (100V 100W)	<input type="checkbox"/> Required	<input type="checkbox"/> Not Required
Parapet/Front cross bar	<input type="checkbox"/> Required	<input type="checkbox"/> Not Required

◆ Exhibitors who have their own contractors for booth decoration are required to fill in :

Contractor			
Person in charge		Section	
Address			
T E L		F A X	

Deadline : June 10 (Fri.),2005

Application form for additional electric power

Date : _____



FAX : +81-6-6377-2075

The 7th International Congress on AIDS in Asia and the Pacific

Company			
Person in charge		Section	
TEL		FAX	

◆ Additional electric power if required :

Single phase 100V Every500W	¥5,000/500W	W
Single phase 200V Every500W	¥12,000/500W	W
Three phase 200V Every500W	¥12,000/500W	W
Outlet	¥3,000/1pc.	pc.

- Each exhibition booth will have 100V/100W power supply. Those who require additional electric power are requested to fill out the Application form for additional electricity.
- Unless requested, no electric power will be supplied in a Raw Floor Space booth.

Deadline : June 10 (Fri.),2005